




## Handrail for the disabled angled horizontal shower 75 / 75cm PSP 136

- Two finishing options available: gloss (PSP 136) or mat (PSM 136)
- Maximum lifting capacity of 180 kg
- Made of AISI 304 stainless steel, resistant to corrosion, rust, and some acids
- Can be installed in rooms exposed to moisture
- The mounting kit included masking rosettes with a snap system
- Easy to clean

Material	AISI 304 stainless steel
Finish	Gloss (PSP 136) or mat (PSM 136)
Handrail type	Angle shower railing
Handrail length	750x750 mm
Tube diameter	Ø 32 mm
The wall thickness :	1,5 mm
Maximum capacity	180 kg
Hole diameter	Ø 7 mm
Number of fixing holes:	12
Includes	6x65 mm screws, 8x65 mm plugs



The angular, horizontal handrail for the disabled is a rust and moisture resistant product, suitable for installation in the shower area. The presented handle is made of AISI 304 acid-resistant steel. The surface finish is available in polished (product ID PSP 136) or matt (product ID PSM 136). What's more, the tube used for production has a diameter of 32 mm, and its wall thickness is 1.5 mm. The total size of the steel hand shower is 750 x 750 mm. However, its maximum load capacity is 180 kg. It is also important to know that each handrail comes with a mounting kit (including, among others, screws, washers, wall plugs, plugs), as well as a user manual and a warranty card. The offered handrails are certified by the Polish Institute of Hygiene, CE Declaration of Conformity and the National Declaration of Performance